





HOMELock

Digital Doorlock
Catalog



Connected Doorlock

- / HLG-E100
- / HLG-E110
- / HLG-E150
- / HLG-E160
- / HLG-E220
- / HLG-M250
- / HLG-M300
- / HLG-V200
- / HLG-F300
- / HLG-F400
- / HLG-F500
- / HLG-G330



HOMELOCK

HLG-B110




HLG-B110



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint

**Supported App
TTLOCK**



Interior body

Exterior body

Product			
MODEL	HLG-B110		
IR Sensor	-	MEMORY	-
Alarm System	○	APP	○
Low Battery Alarm	○	REMOTE	-
MECHANICAL KEY	○	CHILD LOCK	-
CAMERA	-	ANTI-LOCK KNOB	○

Specification	
Password	6~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	3 inch
Power	DC 6V lpc Lithium battery-4200 mA
Battery life	Approximately 10 months (10 times per day on average)

HOMELOCK

HLG-B220





HLG-B220



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint

**Supported App
TTLOCK**



Interior body

Exterior body

Product

MODEL	HLG-F220		
IR Sensor	-	MEMORY	-
Alarm System	○	APP	○
Low Battery Alarm	○	REMOTE	-
MECHANICAL KEY	○	CHILD LOCK	-
CAMERA	-	ANTI-LOCK KNOB	-

Specification

Password	6~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	3 inch
Power	DC 6V lpc Lithium battery-4200 mA
Battery life	Approximately 10 months (10 times per day on average)

HOMELOCK

HLG-G330



HLG-G330



- Glass door smart lock
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint



Interior body



Exterior body



Product

MODEL	HLG-G330		
IR Sensor	-	MEMORY	-
Alarm System	○	APP	-
Low Battery Alarm	○	REMOTE	-
MECHANICAL KEY	-	CHILD LOCK	○
CAMERA	-	ANTI-LOCK KNOB	-

Specification

Password	6~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Glass thickness	18mm
Display Screen	—
Power	
Battery life	4 AA BATTERY/NO.5
Size	Exterior body : 75 x200 x33 mm Interior body : 75x200 x33 mm

Automatic

HOMELOCK

HLG-E100



HLG-E100




- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint



Supported App

Tuya



Interior body

Exterior body

Product

MODEL	HLG-E100		
IR Sensor	-	MEMORY	-
Alarm System	○	APP	○
Low Battery Alarm	○	REMOTE	-
MECHANICAL KEY	○	CHILD LOCK	-
CAMERA	-	ANTI-LOCK KNOB	○

Specification

Password	6~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	—
Power	
Battery life	4 AA BATTERY/NO.5
Size	Exterior body : 60 x 420 x 30 mm Interior body : 76 x 420 x 30 mm

HOMELOCK

HLG-E150



HLG-E150



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint



Supported App
Tuya



Interior body



Exterior body



Product

MODEL	HLG-E150		
IR Sensor	-	MEMORY	-
Alarm System	○	APP	○
Low Battery Alarm	○	REMOTE	-
MECHANICAL KEY	○	CHILD LOCK	○
CAMERA	-	ANTI-LOCK KNOB	○

Specification

Password	6~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	—
Power	
Battery life	8 AA BATTERYS/NO.5
Size	Exterior body : 70 x 380 x 30 mm Interior body : 70 x 380 x 30 mm

HOMELOCK


HLG-M160



HLG-E160



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint



Interior body



Exterior body



Product

MODEL	HLG-E160		
IR Sensor	-	MEMORY	-
Alarm System	○	APP	-
Low Battery Alarm	○	REMOTE	○
MECHANICAL KEY	○	CHILD LOCK	○
CAMERA	-	ANTI-LOCK KNOB	○

Specification

Password	6~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	—
Power	
Battery life	8 AA BATTERY/NO.5
Size	Exterior body : 70 x380 x30 mm Interior body :70 x380 x 30 mm

HOMELOCK

HLG-C200




HLG-C200



PRICE:138,000,000 RIAL

- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint



Interior body



Exterior body



Product

MODEL	HLG-C200		
IR Sensor	-	MEMORY	-
Alarm System	○	APP	-
Low Battery Alarm	○	REMOTE	-
MECHANICAL KEY	○	CHILD LOCK	○
CAMERA	-	ANTI-LOCK KNOB	○

Specification

Password	6~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	—
Power	
Battery life	4 AA BATTERY/NO.5
Size	Exterior body : 80 x660 x30 mm Interior body : 80x450 x 30 mm

HOMELOCK

HLG-M250



HLG-M250



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint



Supported App
Usmart



Interior body



Exterior body



Product

MODEL	HLG-M250		
IR Sensor	-	MEMORY	-
Alarm System	○	APP	○
Low Battery Alarm	○	REMOTE	-
MECHANICAL KEY	○	CHILD LOCK	○
CAMERA	-	ANTI-LOCK KNOB	○

Automatic

Specification

Password	6~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	—
Power	DC 7.2 V - 8.4 V lpc Lithium battery-4200 mA
Battery life	12000 times (18 Months or above)
Size	Exterior body : 75 x 420 x 60 mm Interior body : 60 x 420 x 60 mm

HOMELOCK

HLG-M300



HLG-M300



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint



Exterior body



Interior body

Supported App
Tuya



Product

MODEL	HLG-M300		
IR Sensor	-	MEMORY	○
Alarm System	○	APP	○
Low Battery Alarm	○	REMOTE	-
MECHANICAL KEY	○	CHILD LOCK	○
CAMERA	-	ANTI-LOCK KNOB	○

Automatic

Specification

Password	6~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	—
Power	DC 7.2 V - 8.4 V lpc Lithium battery-4200 mA
Battery life	12000 times (18 Months or above)
Size	Exterior body : 60 x 420 x 60 mm Interior body : 75x 420 x 60 mm

HOMELOCK

Digital Doorlock
Catalog



HLG-V200



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint



Supported App
Usmart



Interior body



Exterior body



Product

MODEL	HLG-V200		
IR Sensor	<input type="checkbox"/>	MEMORY	<input type="checkbox"/>
Alarm System	<input type="checkbox"/>	APP	<input type="checkbox"/>
Low Battery Alarm	<input type="checkbox"/>	REMOTE	-
MECHANICAL KEY	<input type="checkbox"/>	CHILD LOCK	<input type="checkbox"/>
CAMERA	<input type="checkbox"/>	ANTI-LOCK KNOB	<input type="checkbox"/>

Automatic

Specification

Password	6~12 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	3 inch
Power	DC 7.2 V - 8.4 V lpc Lithium battery-4200 mA
Battery life	12000 times (18 Months or above)
Size	Exterior body : 60 x 395 x 50 mm Interior body : 75 x 39.5 x 50 mm

HOMELOCK

HLG-F300



HLG-F300



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint



Supported App
Usmart



Interior body



Exterior body



Product			
MODEL	HLG-F300		
IR Sensor	○	FACE ID	○
Alarm System	○	APP	○
Low Battery Alarm	○	REMOTE	-
MECHANICAL KEY	○	CHILD LOCK	○
CAMERA	○	ANTI-LOCK KNOB	○

Automatic

Specification	
Password	6~10 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	3 inch
Power	DC 7.2 V - 8.4 V lpc Lithium battery-4200 mA
Battery life	12000 times (18 Months or above)
Size	Exterior body : 70 x 420 x 85 mm Interior body : 70 x 420 x 40 mm

HOMELOCK

HLG-F400



HLG-F400



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint



Supported App
Usmart



Interior body



Exterior body



Product			
MODEL	HLG-F400		
IR Sensor	<input type="checkbox"/>	FACE ID	<input type="checkbox"/>
Alarm System	<input type="checkbox"/>	APP	<input type="checkbox"/>
Low Battery Alarm	<input type="checkbox"/>	SCAN HAND	<input type="checkbox"/>
MECHANICAL KEY	<input type="checkbox"/>	CHILD LOCK	<input type="checkbox"/>
CAMERA	<input type="checkbox"/>	ANTI-LOCK KNOB	<input type="checkbox"/>

Automatic

Specification	
Password	6~10 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	3 inch
Power	DC 7.2 V - 8.4 V lpc Lithium battery-4200 mA
Battery life	12000 times (18 Months or above)
Size	Exterior body : 80 x 420 x 60 mm Interior body : 80 x 420 x 60 mm

HOMELOCK

HLG-F500



HLG-F500



- Real-time family arrival notification over smartphone
- Saving family access time and date (Up to 30 records)
- One touch unlock with smartphone
- Safe unlock with fingerprint



Supported App
Usmart



Interior body



Exterior body



Product			
MODEL	HLG-F500		
IR Sensor	<input type="checkbox"/>	FACE DETECTION	-
Alarm System	<input type="checkbox"/>	APP	<input type="checkbox"/>
Low Battery Alarm	<input type="checkbox"/>	REMOTE	-
MECHANICAL KEY	<input type="checkbox"/>	CHILD LOCK	<input type="checkbox"/>
CAMERA	<input type="checkbox"/>	ANTI-LOCK KNOB	<input type="checkbox"/>

Automatic

Specification	
Password	6~10 digit number combination
Fingerprint	Capacity 100 fingerprints (Max.)
RFID Card/Password	Capacity 100 (Max.)
Door thickness	40~120mm
Display Screen	—
Power	DC 7.2 V - 8.4 V lpc Lithium battery-4200 mA
Battery life	12000 times (18 Months or above)
Size	Exterior body : 60 x 420 x 85 mm Interior body : 76 x 420 x 40 mm



H**MELOCK**

FULL AUTOMATIC SMART LOCK

www.Homelock.ir

Copyright © Feb ,2022 HOMELOCK Co., Ltd. All rights reserved.